



**2007 Mathematics**

**Standard Grade Credit**

**Finalised Marking Instructions**

© Scottish Qualifications Authority 2007

The information in this publication may be reproduced to support SQA qualifications only on a non-commercial basis. If it is to be used for any other purposes written permission must be obtained from the Assessment Materials Team, Dalkeith.

Where the publication includes materials from sources other than SQA (secondary copyright), this material should only be reproduced for the purposes of examination or assessment. If it needs to be reproduced for any other purpose it is the centre's responsibility to obtain the necessary copyright clearance. SQA's Assessment Materials Team at Dalkeith may be able to direct you to the secondary sources.

These Marking Instructions have been prepared by Examination Teams for use by SQA Appointed Markers when marking External Course Assessments. This publication must not be reproduced for commercial or trade purposes.

## Special Instructions

- 1 The main principle in marking scripts is to give credit for the skills which have been demonstrated. Failure to have the correct method may not preclude a pupil gaining credit for the calculations involved or for the communication of the answer.

Care should be taken to ensure that the mark for any question or part question is entered in the correct column, as indicated by the horizontal line.

Where a candidate has scored zero marks for any question attempted, "0" should be shown against the answer in the appropriate column.

It is of great importance that the utmost care should be exercised in adding up the marks. Where appropriate, all summations for totals and grand totals must be carefully checked.

- 2 The answer to one part, correct **or incorrect** must be accepted as a basis for subsequent dependent parts of a question. Full marks in the dependent part is possible if it is of equivalent difficulty.

- 3 Do not penalise insignificant errors. An insignificant error is one which is significantly below the level of attainment being assessed.

eg An error in the calculation of  $16 + 15$  would not be penalised at Credit Level.

- 4 Working after a correct answer should **only** be taken into account if it provides **firm** evidence that the requirements of the question have not been met.

- 5 In certain cases an error will ease subsequent working. **Full** credit cannot be given for this subsequent work but **partial** credit may be given.

- 6 Accept answers arrived at by inspection or mentally, where it is possible for the answer to have been so obtained.

- 7 Do not penalise omission or misuse of units unless marks have been specifically allocated to units.

- 8 A wrong answer without working receives no credit unless specifically mentioned in the marking scheme.

The rubric on the outside of the Papers emphasises that working must be shown. In general markers will only be able to give credit to partial answers if working is shown. However there may be a few questions where partially correct answers unsupported by working can still be given some credit. **Any such instances will be stated in the marking scheme.**

- 9 Acceptable alternative methods of solution can only be given the marks specified, ie a more sophisticated method cannot be given more marks.

Note that for some questions a method will be specified.

- 10 In general do not penalise the same error twice in the one question.

- 11 Accept legitimate variations in numerical/algebraic questions.

- 12 Do not penalise bad form eg  $\sin x^0 = 0.5 = 30^0$ .

- 13 A transcription error is not normally penalised except where the question has been simplified as a result.

**2007 Mathematics SG – Credit Level – Paper 1**

**Marking Instructions**

Award marks in whole numbers only

<b>Question No</b>	<b>Give 1 mark for each •</b>	<b>Illustrations of evidence for awarding each mark</b>										
<b>1</b>	<p><b>Ans: 80·44</b></p> <ul style="list-style-type: none"> <li>• knowing correct order of operations</li> <li>• carrying out both calculations</li> </ul>	<ul style="list-style-type: none"> <li>• 74·4</li> <li>• 80·44</li> </ul> <p style="text-align: right;"><b>2KU</b></p>										
<p><b>Notes:</b></p> <table style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 80%;">(i) for 80·44 with or without working</td> <td style="text-align: right; vertical-align: bottom;">award <math>\frac{2}{2}</math></td> </tr> <tr> <td>(ii) for 74·4 with or without working</td> <td style="text-align: right; vertical-align: bottom;">award <math>\frac{1}{2}</math></td> </tr> <tr> <td>(iii) for 195·2 with or without working</td> <td style="text-align: right; vertical-align: bottom;">award <math>\frac{1}{2}</math></td> </tr> <tr> <td>(iv) for 13·48 with or without working</td> <td style="text-align: right; vertical-align: bottom;">award <math>\frac{1}{2}</math></td> </tr> <tr> <td>(v) for any other answer without working</td> <td style="text-align: right; vertical-align: bottom;">award <math>\frac{0}{2}</math></td> </tr> </table>			(i) for 80·44 with or without working	award $\frac{2}{2}$	(ii) for 74·4 with or without working	award $\frac{1}{2}$	(iii) for 195·2 with or without working	award $\frac{1}{2}$	(iv) for 13·48 with or without working	award $\frac{1}{2}$	(v) for any other answer without working	award $\frac{0}{2}$
(i) for 80·44 with or without working	award $\frac{2}{2}$											
(ii) for 74·4 with or without working	award $\frac{1}{2}$											
(iii) for 195·2 with or without working	award $\frac{1}{2}$											
(iv) for 13·48 with or without working	award $\frac{1}{2}$											
(v) for any other answer without working	award $\frac{0}{2}$											

Question No	Give 1 mark for each •	Illustrations of evidence for awarding each mark
2	<p><b>Ans:</b> <math>\frac{19}{10}</math></p> <ul style="list-style-type: none"> <li>• expressing as a multiplication</li> <li>• carrying out the multiplication</li> </ul>	<ul style="list-style-type: none"> <li>• <math>\times \frac{3}{5}</math></li> <li>• <math>\frac{19}{10}</math> or equivalent</li> </ul> <p style="text-align: right;"><b>2KU</b></p>
<p><b>Notes:</b></p> <p>(i) for <math>\frac{19}{10}</math> with or without working award <math>\frac{2}{2}</math></p> <p>(ii) for <math>\frac{95}{18}</math> with or without working award <math>\frac{1}{2}</math></p> <p>(iii) for any other answer without working award <math>\frac{0}{2}</math></p> <p>(iv) for the second mark, the only acceptable multipliers are <math>\frac{3}{5}</math> <b>or</b> <math>\frac{5}{3}</math></p>		

Question No	Give 1 mark for each •	Illustrations of evidence for awarding each mark
3	<b>Ans: 250</b> <ul style="list-style-type: none"> <li>• valid strategy</li> <li>• solution</li> </ul>	<ul style="list-style-type: none"> <li>• multiplication by <math>\frac{5}{8}</math></li> <li>• 250</li> </ul> <p style="text-align: right;"><b>2RE</b></p>
<p><b>Notes:</b></p> <p>(i) for an answer of 250 without working <span style="float: right;">award <math>\frac{2}{2}</math></span></p> <p>(ii) for an answer of <math>50 \left( \frac{400}{8} \right)</math> <b>with</b> working <span style="float: right;">award <math>\frac{1}{2}</math></span></p> <p>(iii) for an answer of 2000 with or without working <span style="float: right;">award <math>\frac{0}{2}</math></span></p>		

Question No	Give 1 mark for each •	Illustrations of evidence for awarding each mark
4	<p>Ans: <math>m = \frac{3P+8}{2}</math> or <math>m = \frac{3P}{2} + 4</math></p> <p><b>Method 1:</b></p> <ul style="list-style-type: none"> <li>• dealing with denominator</li> <li>• dealing with constant</li> <li>• dealing with coefficient</li> </ul> <p><b>Method 2:</b></p> <ul style="list-style-type: none"> <li>• dealing with denominator</li> <li>• dealing with coefficient</li> <li>• dealing with constant</li> </ul>	<ul style="list-style-type: none"> <li>• <math>3P</math></li> <li>• <math>3P + 8 = 2m</math></li> <li>• <math>\frac{3P+8}{2}</math></li> <li>• <math>3P</math></li> <li>• <math>\frac{3P}{2} = m - 4</math></li> <li>• <math>\frac{3P}{2} + 4</math></li> </ul> <p style="text-align: right;"><b>3KU</b></p>
<b>Notes:</b>		

Question No	Give 1 mark for each •	Illustrations of evidence for awarding each mark
5	<p><b>Ans:</b> <math>x^2 + 12x + 27</math></p> <ul style="list-style-type: none"> <li>• expanding first bracket</li> <li>• expanding second bracket</li> <li>• collecting terms</li> </ul>	<ul style="list-style-type: none"> <li>• <math>4x^2 + 6x + 6x + 9</math></li> <li>• <math>-3x^2 + 18</math></li> <li>• <math>x^2 + 12x + 27</math></li> </ul> <p style="text-align: right;"><b>3KU</b></p>
<p><b>Notes:</b></p> <p>(i) the third mark is available only when an <math>x^2</math> term is involved</p>		



Question No	Give 1 mark for each •	Illustrations of evidence for awarding each mark
6	<p>Ans: <math>f = \frac{4}{5}d + 2</math></p> <ul style="list-style-type: none"> <li>• gradient</li> <li>• y-intercept</li> <li>• linear equation</li> <li>• equation in terms of <math>d</math> and <math>f</math></li> </ul>	<ul style="list-style-type: none"> <li>• <math>\frac{4}{5}</math></li> <li>• <math>+2</math></li> <li>• <math>y = \frac{4}{5}x + 2</math></li> <li>• <math>f = \frac{4}{5}d + 2</math></li> </ul> <p style="text-align: right;"><b>4KU</b></p>

**Notes:**

- (i) for a correct equation without working award  $\frac{4}{4}$
- (ii) where the gradient and/or y-intercept are wrong, but explicitly stated, the 3<sup>rd</sup> and 4<sup>th</sup> marks are still available
- (iii) for an answer of  $f = \frac{4}{5}d$  award  $\frac{2}{4}$   
(unless the y-intercept has been explicitly stated as zero, in which case, award  $\frac{3}{4}$ )
- (iv) for an answer of  $f = \frac{4}{5}d + c$  award  $\frac{2}{4}$
- (v) an equation involving transposition of  $f$  and  $d$  may be awarded a maximum of  $\frac{3}{4}$

Question No	Give 1 mark for each •	Illustrations of evidence for awarding each mark
7	<p><b>Ans:</b> <math>a - 2a^{\frac{1}{2}}</math></p> <ul style="list-style-type: none"> <li>• starting to expand bracket</li> <li>• completing expansion</li> </ul>	<ul style="list-style-type: none"> <li>• <math>a</math> or <math>-2a^{\frac{1}{2}}</math></li> <li>• <math>a - 2a^{\frac{1}{2}}</math></li> </ul> <p style="text-align: right;"><b>2KU</b></p>
<p><b>Notes:</b></p> <ul style="list-style-type: none"> <li>(i) accept <math>a^1</math></li> <li>(ii) ignore any working subsequent to a correct answer</li> </ul>		

Question No	Give 1 mark for each •	Illustrations of evidence for awarding each mark
8	<p><b>Ans: yes, plus valid reason</b></p> <ul style="list-style-type: none"> <li>• valid scale factor</li> <li>• applying scale factor</li> <li>• calculation and reason</li> </ul>	<ul style="list-style-type: none"> <li>• <math>\frac{75}{40}</math> or <math>\frac{40}{75}</math></li> <li>• <math>\frac{48 \times 75}{40}</math> or <math>48 \div \frac{40}{75}</math></li> <li>• yes, as 90 cm is greater than required length of 80 cm</li> </ul> <p style="text-align: right;"><b>3RE</b></p>
<p><b>Notes:</b></p> <p>(i) reason must contain a numerical comparison within a valid strategy</p>		

Question No	Give 1 mark for each •	Illustrations of evidence for awarding each mark
9	<p>Ans: <math>3\sqrt{2}</math></p> <ul style="list-style-type: none"> <li>• forming equation</li> <li>• solution</li> <li>• simplification</li> </ul>	<ul style="list-style-type: none"> <li>• <math>x^2 + x^2 = 6^2</math></li> <li>• <math>x = \sqrt{18}</math></li> <li>• <math>3\sqrt{2}</math></li> </ul> <p style="text-align: right;"><b>3RE</b></p>
<p><b>Notes:</b></p> <p>(i) the third mark is obtained only for the simplification of a surd</p>		

Question No	Give 1 mark for each •	Illustrations of evidence for awarding each mark
10	<p><b>Ans: multiplied by <math>\frac{1}{8}</math> (or divided by 8)</b></p> <ul style="list-style-type: none"> <li>• effect on <math>L^3</math></li> <li>• effect on <math>\frac{k}{L^3}</math></li> </ul>	<ul style="list-style-type: none"> <li>• <math>(2L)^3</math></li> <li>• <math>\times \frac{1}{8}</math> or <math>\div 8</math></li> </ul> <p style="text-align: right;"><b>2RE</b></p>
<p><b>Notes:</b></p> <ul style="list-style-type: none"> <li>(i) finding values for <math>T_1</math> and <math>T_2</math> using a numerical value for <math>L</math> may be awarded the 1<sup>st</sup> mark</li> <li>(ii) an explicit statement is necessary for the 2<sup>nd</sup> mark</li> </ul>		

Question No	Give 1 mark for each •	Illustrations of evidence for awarding each mark
11 (a)	<b>Ans: <math>x + y = 300</math></b> <ul style="list-style-type: none"> <li>• equation</li> </ul>	<ul style="list-style-type: none"> <li>• <math>x + y = 300</math></li> </ul> <p style="text-align: right;"><b>1KU</b></p>
<b>Notes:</b>		
(b)	<b>Ans: <math>4x + 6y = 1380</math></b> <ul style="list-style-type: none"> <li>• terms</li> <li>• equation</li> </ul>	<ul style="list-style-type: none"> <li>• <math>4x</math> and <math>6y</math></li> <li>• <math>4x + 6y = 1380</math></li> </ul> <p style="text-align: right;"><b>2KU</b></p>
<b>Notes:</b>		
(c)	<b>Ans: 210 standard and 90 deluxe</b> <ul style="list-style-type: none"> <li>• evidence of scaling</li> <li>• value of <math>x</math></li> <li>• value of <math>y</math></li> </ul>	<ul style="list-style-type: none"> <li>• <math>4x + 4y = 1200</math> or equivalent</li> <li>• 210</li> <li>• 90</li> </ul> <p style="text-align: right;"><b>3RE</b></p>
<b>Notes:</b> <p>(i) for 90 and 210 without working <span style="float: right;">award <math>\frac{0}{3}</math></span></p> <p>(ii) for 90 and 210 verified in <b>both</b> equations <span style="float: right;">award <math>\frac{1}{3}</math></span></p>		

Question No	Give 1 mark for each •	Illustrations of evidence for awarding each mark
12	<p><b>Ans: 2 cm</b></p> <ul style="list-style-type: none"> <li>• valid strategy</li> <li>• method</li> <li>• process</li> <li>• solution</li> </ul>	<ul style="list-style-type: none"> <li>• recognition of right angle at chord</li> <li>• correct use of Pythagoras</li> <li>• 3</li> <li>• <math>d = 2</math></li> </ul> <p style="text-align: right;"><b>4RE</b></p>
<p><b>Notes:</b></p> <p>(i) for using a radius of 10 to obtain <math>d = 10 - \sqrt{84}</math>, award a maximum of 3 marks (1<sup>st</sup>, 3<sup>rd</sup> and 4<sup>th</sup>)</p>		

Question No	Give 1 mark for each •	Illustrations of evidence for awarding each mark
13	<b>Ans: <math>b = 2, c = 3</math></b> <ul style="list-style-type: none"> <li>• value of <math>b</math></li> <li>• value of <math>c</math></li> </ul>	<ul style="list-style-type: none"> <li>• 2</li> <li>• 3</li> </ul> <p style="text-align: right;"><b>2KU</b></p>
<b>Notes:</b> <p>(i) for 2, 3 <span style="float: right;">award <math>\frac{2}{2}</math></span></p> <p>(ii) for (<math>b =</math>) 3, (<math>c =</math>) 2 <span style="float: right;">award <math>\frac{0}{2}</math></span></p>		





2007 Mathematics SG – Credit Level – Paper 2

Marking Instructions

Award marks in whole numbers only

Question No	Give 1 mark for each •	Illustrations of evidence for awarding each mark												
1	<p><b>Ans: £684.70</b></p> <ul style="list-style-type: none"> <li>• multiplying factor</li> <li>• power of 3</li> <li>• solution</li> </ul>	<ul style="list-style-type: none"> <li>• 1.045</li> <li>• <math>1.045^3</math></li> <li>• £684.70</li> </ul> <p style="text-align: right;"><b>3KU</b></p>												
<p><b>Notes:</b></p> <p>(i) for £684.70, £684.69, £685 or £684 with or without working <span style="float: right;">award <math>\frac{3}{3}</math></span></p> <p>(ii) for multipliers <b>with working</b> of</p> <table style="margin-left: 40px; border: none;"> <tr> <td>0.955</td> <td>→</td> <td>£522.59</td> <td></td> </tr> <tr> <td>1.45</td> <td>→</td> <td>£1829.17/8</td> <td></td> </tr> <tr> <td>0.55</td> <td>→</td> <td>£99.82/3</td> <td style="text-align: right;">award <math>\frac{2}{3}</math></td> </tr> </table> <p>(iii) for a <b>final</b> answer of £627 from <math>(0.045 \times 600) + 600</math> <span style="float: right;">award <math>\frac{1}{3}</math></span></p> <p>(iv) for an answer of £681 from <math>(0.045 \times 600 \times 3) + 600</math> <span style="float: right;">award <math>\frac{0}{3}</math></span></p> <p>(v) for an incorrect answer without working <span style="float: right;">award <math>\frac{0}{3}</math></span></p> <p>(vi) for the final mark, the answer must be rounded appropriately</p> <p>(vii) do not penalise premature rounding</p>			0.955	→	£522.59		1.45	→	£1829.17/8		0.55	→	£99.82/3	award $\frac{2}{3}$
0.955	→	£522.59												
1.45	→	£1829.17/8												
0.55	→	£99.82/3	award $\frac{2}{3}$											

Question No	Give 1 mark for each •	Illustrations of evidence for awarding each mark
2	<p>Ans: 2.2, -1.5</p> <ul style="list-style-type: none"> <li>• method</li> <li>• processing</li> <li>• solution</li> <li>• rounding</li> </ul>	<ul style="list-style-type: none"> <li>• substitution into quadratic formula</li> <li>• <math>\sqrt{124}</math></li> <li>• 2.19, -1.52</li> <li>• 2.2, -1.5</li> </ul> <p style="text-align: right;"><b>4KU</b></p>
<p><b>Notes:</b></p> <p><u>alternative evidence for 3<sup>rd</sup> and 4<sup>th</sup> marks</u></p> <p>(i) 3<sup>rd</sup> mark (one solution and rounding)                      2.19 → 2.2  4<sup>th</sup> mark (another solution and rounding)                      -1.52 → -1.5</p> <p>(ii) only the first mark is available for candidates who process to a negative discriminant</p>		

Question No	Give 1 mark for each •	Illustrations of evidence for awarding each mark
3 (a)	<p><b>Ans: 24, 7</b></p> <ul style="list-style-type: none"> <li>• mean</li> <li>• substitution into formula</li> <li>• processing</li> <li>• solution</li> </ul>	<ul style="list-style-type: none"> <li>• 24</li> <li>• as far as 294 or 4326</li> <li>• <math>\sqrt{49}</math></li> <li>• 7</li> </ul> <p style="text-align: right;"><b>4KU</b></p>

**Notes:**

$x$	$x - \bar{x}$	$(x - \bar{x})^2$	$x^2$
28	4	16	784
32	8	64	1024
14	-10	100	196
19	-5	25	361
18	-6	36	324
26	2	4	676
31	7	49	961
		294	4326

$$s = \sqrt{\frac{\sum(x - \bar{x})^2}{n - 1}} \quad \left| \quad s = \sqrt{\frac{\sum x^2 - \frac{(\sum x)^2}{n}}{n - 1}}$$

$$= \sqrt{\frac{294}{6}} \quad \left| \quad = \sqrt{\frac{4326 - \frac{168^2}{7}}{6}}$$

$$= \sqrt{49} \quad \left| \quad = \sqrt{49}$$

$$= 7 \quad \left| \quad = 7$$

(b)	<p><b>Ans: valid comments</b></p> <ul style="list-style-type: none"> <li>• comparing means</li> <li>• comparing standard deviations</li> </ul>	<ul style="list-style-type: none"> <li>• on average, more birds visit Erin's table</li> <li>• the number of birds visiting Luke's table varies more</li> </ul> <p style="text-align: right;"><b>2RE</b></p>
-----	--	---

**Notes:**

- (i) responses about mean must give a comparison of number of birds
- (ii) responses about standard deviation must give a comparison of variation or spread

unacceptable responses

- (a) ... the average number of birds ..... is more / less.
- (b) ... the mean ..... is more / less.
- (c) ... the s.d..... is more/less.

Question No	Give 1 mark for each •	Illustrations of evidence for awarding each mark
4	<p><b>Ans:</b> <math>x &lt; 22</math></p> <ul style="list-style-type: none"> <li>• dealing with denominator or constant</li> <li>• solution</li> </ul>	<ul style="list-style-type: none"> <li>• <math>x - 2 &lt; 20</math> or <math>\frac{x}{4} &lt; 5\frac{1}{2}</math></li> <li>• <math>x &lt; 22</math></li> </ul> <p style="text-align: right;"><b>2KU</b></p>
<b>Notes:</b>		

Question No	Give 1 mark for each •	Illustrations of evidence for awarding each mark						
5	<b>Ans: £135</b> <ul style="list-style-type: none"> <li>• valid strategy</li> <li>• processing</li> <li>• solution</li> </ul>	<ul style="list-style-type: none"> <li>• 110% = £148.50</li> <li>• 1% = £1.35</li> <li>• £135</li> </ul> <p style="text-align: right;"><b>3KU</b></p>						
<b>Notes:</b> <table style="width: 100%; border: none;"> <tr> <td style="width: 70%;">(i) for £135 with or without working</td> <td style="text-align: right; vertical-align: bottom;">award <math>\frac{3}{3}</math></td> </tr> <tr> <td>(ii) for £133.65 (90% of £148.50) with or without working</td> <td style="text-align: right; vertical-align: bottom;">award <math>\frac{0}{3}</math></td> </tr> <tr> <td>(iii) for £163.35 (110% of £148.50) with or without working</td> <td style="text-align: right; vertical-align: bottom;">award <math>\frac{0}{3}</math></td> </tr> </table>			(i) for £135 with or without working	award $\frac{3}{3}$	(ii) for £133.65 (90% of £148.50) with or without working	award $\frac{0}{3}$	(iii) for £163.35 (110% of £148.50) with or without working	award $\frac{0}{3}$
(i) for £135 with or without working	award $\frac{3}{3}$							
(ii) for £133.65 (90% of £148.50) with or without working	award $\frac{0}{3}$							
(iii) for £163.35 (110% of £148.50) with or without working	award $\frac{0}{3}$							

Question No	Give 1 mark for each •	Illustrations of evidence for awarding each mark
6	<p><b>Ans: 27.2 km</b></p> <ul style="list-style-type: none"> <li>• dealing with bearing</li> <li>• valid strategy</li> <li>• correct substitution</li> <li>• solution</li> </ul>	<ul style="list-style-type: none"> <li>• <math>\angle ABC = 27^\circ</math></li> <li>• third angle and use of sine rule</li> <li>• <math>\frac{a}{\sin 65^\circ} = \frac{30}{\sin 88^\circ}</math></li> <li>• 27.2</li> </ul> <p style="text-align: right;"><b>4RE</b></p>
<p><b>Notes:</b></p> <p>(i) use of the sine rule is the only valid strategy</p> <p>(ii) where the angle sum of triangle ABC is greater than <math>180^\circ</math> only the first mark is available</p> <p>(iii) <b>beware: some candidates assume <math>\angle BCA = 90^\circ</math> and use <math>\sin 65^\circ = \frac{BC}{30}</math> to give <math>BC = 27.18</math> km: in this case, only the first mark is available</b></p>		

Question No	Give 1 mark for each •	Illustrations of evidence for awarding each mark
7	<p><b>Ans:</b> <math>55.84 \text{ cm}^2</math></p> <ul style="list-style-type: none"> <li>• fraction of area</li> <li>• use of formula</li> <li>• all calculations correct</li> </ul>	<ul style="list-style-type: none"> <li>• <math>\frac{64}{360}</math></li> <li>• <math>\frac{64}{360} \times \pi \times 5^2</math></li> <li>• <math>13.96 \times 4 = 55.84</math></li> </ul> <p style="text-align: right;"><b>3KU</b></p>
<p><b>Notes:</b></p> <p>(i) for 55.84 with or without working <span style="float: right;">award <math>\frac{3}{3}</math></span></p> <p>(ii) the 3<sup>rd</sup> mark is available only for a calculation involving <math>\pi</math></p>		



Question No	Give 1 mark for each •	Illustrations of evidence for awarding each mark
8	<p><b>Ans: 10 cm</b></p> <ul style="list-style-type: none"> <li>• valid strategy in triangle PQR</li> <li>• substitution</li> <li>• solution</li> </ul>	<ul style="list-style-type: none"> <li>• <math>A = \frac{1}{2} pr \sin Q</math></li> <li>• <math>15 = \frac{1}{2} \times 6 \times r \times \sin 30^\circ</math></li> <li>• 10</li> </ul> <p style="text-align: right;"><b>3RE</b></p>
<p><b>Notes:</b></p> <p>(i) evidence for the 1<sup>st</sup> mark may be implicit in the substitution</p> <p>(ii) for 5.77 (using <math>\frac{1}{2} pr \cos Q</math>) <span style="float: right;">award a maximum of <math>\frac{2}{3}</math></span></p> <p>(iii) for 5 (using <math>\frac{1}{2} pr</math>) <span style="float: right;">award <math>\frac{0}{3}</math></span></p>		

Question No	Give 1 mark for each •	Illustrations of evidence for awarding each mark
9	<p><b>Ans: 384g</b></p> <p><b>Method 1:</b></p> <ul style="list-style-type: none"> <li>• valid strategy</li> <li>• processing</li> <li>• solution</li> </ul> <p><b>Method 2:</b></p> <ul style="list-style-type: none"> <li>• valid strategy</li> <li>• processing</li> <li>• solution</li> </ul>	<ul style="list-style-type: none"> <li>• 32 and 35</li> <li>• <math>32 \times 7 = 224</math></li> <li>• <math>160 + 224 = 384</math></li> </ul> <ul style="list-style-type: none"> <li>• building up in multiples of 5 and 7 eg (50, 70), (100, 140) etc</li> <li>• leading to 160 and 224</li> <li>• <math>160 + 224 = 384</math></li> </ul> <p style="text-align: right;"><b>3RE</b></p>
<p><b>Notes:</b></p> <p>(i) for 384 with no working <span style="float: right;">award <math>\frac{2}{3}</math></span></p> <p>(ii) for an attempt to solve by dividing by 12 <span style="float: right;">award <math>\frac{0}{3}</math></span></p> <p>(iii) for a final answer of 67 (<math>32 + 35</math>) <span style="float: right;">award <math>\frac{1}{3}</math></span></p> <p>(iv) the 3<sup>rd</sup> mark is not available for a total greater than 405 (<math>160 + 245</math>)</p>		

Question No	Give 1 mark for each •	Illustrations of evidence for awarding each mark
10	<p>Ans: <math>143.1^\circ, 216.9^\circ</math></p> <ul style="list-style-type: none"> <li>• rearranging</li> <li>• first solution</li> <li>• solution</li> </ul>	<ul style="list-style-type: none"> <li>• <math>\cos x^\circ = -\frac{4}{5}</math></li> <li>• <math>143.1^\circ</math></li> <li>• <math>216.9^\circ</math></li> </ul> <p style="text-align: right;"><b>3KU</b></p>
<p><b>Notes:</b></p> <p>(i) for a wrong negative value of <math>\cos x^\circ</math>, a maximum of <math>\frac{2}{3}</math> is available (2<sup>nd</sup> and 3<sup>rd</sup> marks)</p> <p>(ii) for a wrong positive value of <math>\cos x^\circ</math>, a maximum of <math>\frac{1}{3}</math> is available (3<sup>rd</sup> mark)</p> <p>(iii) ignore any values outwith the given domain</p>		

Question No	Give 1 mark for each •	Illustrations of evidence for awarding each mark
11 (a)	<b>Ans: proof</b> <ul style="list-style-type: none"> <li>• starting process</li> <li>• rearranging</li> </ul>	<ul style="list-style-type: none"> <li>• <math>A = (10 - x)(6 - x)</math> or <math>A = 60 - 10x - x(6 - x)</math></li> <li>• <math>A = x^2 - 16x + 60</math></li> </ul> <p style="text-align: right;"><b>2RE</b></p>
<b>Notes:</b> <p>(i) no marks are available for <math>A = (x - 6)(x - 10)</math> <math>= x^2 - 16x + 60</math></p>		
(b)	<b>Ans: 4 cm</b> <ul style="list-style-type: none"> <li>• forming equation</li> <li>• factorising</li> <li>• solving equation</li> <li>• final solution</li> </ul>	<ul style="list-style-type: none"> <li>• <math>x^2 - 16x + 60 = 12</math></li> <li>• <math>(x - 4)(x - 12)</math></li> <li>• 4, 12</li> <li>• 4</li> </ul> <p style="text-align: right;"><b>4RE</b></p>
<b>Notes:</b> <p>(i) the 3<sup>rd</sup> mark is available only for <b>both</b> possible answers</p> <p>(ii) the 4<sup>th</sup> mark is for a rejection of the invalid solution</p> <p>(iii) for an answer of 4 without working <span style="float: right;">award <math>\frac{0}{4}</math></span></p>		

Question No	Give 1 mark for each •	Illustrations of evidence for awarding each mark
12 (a)	<b>Ans: 113·1 cm<sup>2</sup></b> <ul style="list-style-type: none"> <li>• formula</li> <li>• solution</li> </ul>	<ul style="list-style-type: none"> <li>• <math>V = \pi \times 3^2 \times 4</math></li> <li>• 113·1</li> </ul> <p style="text-align: right;"><b>2KU</b></p>
<b>Notes:</b> <p>(i) 452·4 (using <math>\pi d^2 h</math>) may be awarded the 2<sup>nd</sup> mark</p> <p>(ii) 75·4 (using <math>\pi dh</math>) may be awarded the 2<sup>nd</sup> mark</p> <p>(ii) for the use of any other wrong formula award <math>\frac{0}{2}</math></p>		
(b)	<b>Ans: 3·78 cm</b> <ul style="list-style-type: none"> <li>• forming equation</li> <li>• rearranging</li> <li>• solution</li> </ul>	<ul style="list-style-type: none"> <li>• <math>\frac{2}{3} \pi \times r^3 = 113·1</math></li> <li>• <math>r^3 = 54</math></li> <li>• 3·78</li> </ul> <p style="text-align: right;"><b>3RE</b></p>
<b>Notes:</b> <p>(i) for 452·4 → 216 → 6·0 award <math>\frac{3}{3}</math></p> <p>(ii) for 75·4 → 36 → 3·3 award <math>\frac{3}{3}</math></p> <p>(iii) the third mark is available only for the cube root of a number</p>		

Question No	Give 1 mark for each •	Illustrations of evidence for awarding each mark
13	<b>Ans: £19 600</b> <ul style="list-style-type: none"> <li>• valid strategy</li> <li>• finding roots</li> <li>• finding midpoint</li> <li>• solution</li> </ul>	<ul style="list-style-type: none"> <li>• <math>4x(140 - x) = 0</math></li> <li>• 0, 140</li> <li>• 70</li> <li>• 19 600</li> </ul> <p style="text-align: right;"><b>4RE</b></p>
<p><b>Notes:</b></p> <p>(i) for the 1<sup>st</sup> mark, the equation need not be explicit, thus 0, 140 alone is awarded the 1<sup>st</sup> <b>and</b> 2<sup>nd</sup> marks</p> <p>(ii) a statement of <math>x = 70</math> leading to £19 600 may be awarded a maximum of <math>\frac{2}{4}</math></p> <p>(iii) any method involving trial and improvement receives no credit</p>		

**KU 24 marks**  
**RE 25 marks**

[END OF PAPER 2 MARKING INSTRUCTIONS]

<b>Final KU 45</b> <b>Totals RE 45</b>
---