



2013 Mathematics

Standard Grade – Credit

Finalised Marking Instructions

© Scottish Qualifications Authority 2013

The information in this publication may be reproduced to support SQA qualifications only on a non-commercial basis. If it is to be used for any other purposes written permission must be obtained from SQA's NQ Assessment team.

Where the publication includes materials from sources other than SQA (secondary copyright), this material should only be reproduced for the purposes of examination or assessment. If it needs to be reproduced for any other purpose it is the centre's responsibility to obtain the necessary copyright clearance. SQA's NQ Assessment team may be able to direct you to the secondary sources.

These Marking Instructions have been prepared by Examination Teams for use by SQA Appointed Markers when marking External Course Assessments. This publication must not be reproduced for commercial or trade purposes.

Part One: General Marking Principles for Mathematics Standard Grade – Credit

This information is provided to help you understand the general principles you must apply when marking candidate responses to questions in this Paper. These principles must be read in conjunction with the specific Marking Instructions for each question.

- (a) Marks for each candidate response must always be assigned in line with these general marking principles and the specific Marking Instructions for the relevant question. If a specific candidate response does not seem to be covered by either the principles or detailed Marking Instructions, and you are uncertain how to assess it, you must seek guidance from your Team Leader. For technical assistance, e-mail or phone the e-marker helpline.
- (b) Marking should always be positive ie, marks should be awarded for what is correct and not deducted for errors or omissions.

GENERAL MARKING ADVICE: Mathematics Standard Grade – Credit

The marking schemes are written to assist in determining the “minimal acceptable answer” rather than listing every possible correct and incorrect answer. The following notes are offered to support Markers in making judgements on candidates’ evidence.

Special Instructions

- 1 The main principle in marking scripts is to give credit for the skills which have been demonstrated. Failure to have the correct method may not preclude a pupil gaining credit for the calculations involved or for the communication of the answer.
- 2 The answer to one part, correct **or incorrect** must be accepted as a basis for subsequent dependent parts of a question. Full marks in the dependent part are possible if it is of equivalent difficulty.
- 3 Do not penalise insignificant errors. An insignificant error is one which is significantly below the level of attainment being assessed.

eg An error in the calculation of $16 + 15$ would not be penalised at Credit Level.
- 4 Working after a correct answer should **only** be taken into account if it provides **firm** evidence that the requirements of the question have not been met.
- 5 In certain cases an error will ease subsequent working. **Full** credit cannot be given for this subsequent work but **partial** credit may be given.
- 6 Accept answers arrived at by inspection or mentally, where it is possible for the answer to have been so obtained.
- 7 Do not penalise omission or misuse of units unless marks have been specifically allocated to units.

- 8** A wrong answer without working receives no credit unless specifically mentioned in the marking scheme.

The rubric on the outside of the Papers emphasises that working must be shown. In general markers will only be able to give credit to partial answers if working is shown. However there may be a few questions where partially correct answers unsupported by working can still be given some credit. **Any such instances will be stated in the marking scheme.**

- 9** Acceptable alternative methods of solution can only be given the marks specified, ie a more sophisticated method cannot be given more marks.

Note that for some questions a method will be specified.

- 10** In general do not penalise the same error twice in the one question.

- 11** Accept legitimate variations in numerical/algebraic questions.

- 12** Do not penalise bad form eg $\sin x^\circ = 0.5 = 30^\circ$.

- 13** A transcription error, where a number has been erroneously transcribed from the examination question, is not normally penalised except where the question has been simplified as a result.

- 14** When multiple solutions are presented by the candidate and it is not clear which is intended to be the final one, mark all attempts and award the lowest mark.

- 15** If a response has been scored out and not replaced, the response should be marked as normal.

- 16** If multiple responses have been scored out and not replaced, Note 14 applies.

Part Two: Mathematics Standard Grade – Credit

Paper 1

Award marks in whole numbers only

Question		Marking Scheme Give 1 mark for each •	Max Mark	Illustrations of evidence for awarding a mark at each •
1		Evaluate $86.5 - 3.651 \times 20$ Ans: 13.48	2	
		<ul style="list-style-type: none"> •¹ knowing correct order of operations •² carrying out both calculations 		<ul style="list-style-type: none"> •¹ must involve a multiplication followed by a subtraction •² 13.48
<p>Notes:</p> <p>(i) for 13.48 with/without working award 2/2</p> <p>(ii) for 1656.98 with/without working award 1/2</p> <p>(iii) for 73.02 with no further calculation award 0/2</p>				





Question		Marking Scheme Give 1 mark for each •	Max Mark	Illustrations of evidence for awarding a mark at each •
2		Evaluate $\frac{1}{2} \div 2\frac{2}{3}$ Ans: $\frac{3}{16}$ • ¹ process • ² a correct calculation	2 (KU)	• ¹ $\frac{1}{2} \times \frac{3}{8}$ • ² $\frac{3}{16}$
Notes: (i) for $\frac{3}{16}$ with/without working award 2/2 (ii) for $\frac{8}{6}$ or $1\frac{2}{6}$ with/without working award 1/2 (iii) $\frac{3}{16}$ leading to $5\frac{1}{3}$ cannot be awarded the second mark				

Question	Marking Scheme Give 1 mark for each •	Max Mark	Illustrations of evidence for awarding a mark at each •									
3	<p>A group of people attended a course to help them stop smoking. The following table shows the statistics before and after the course.</p> <table border="1" style="margin-left: auto; margin-right: auto;"> <thead> <tr> <th></th> <th><i>Mean number of cigarettes smoked per person per day</i></th> <th><i>Standard deviation</i></th> </tr> </thead> <tbody> <tr> <td>Before</td> <td>20·8</td> <td>8·5</td> </tr> <tr> <td>After</td> <td>9·6</td> <td>12·0</td> </tr> </tbody> </table> <p>Make two valid comments about these results.</p> <p>Ans: see below</p> <ul style="list-style-type: none"> •¹ comment about mean •² comment about standard deviation 		<i>Mean number of cigarettes smoked per person per day</i>	<i>Standard deviation</i>	Before	20·8	8·5	After	9·6	12·0	2 (RE)	<ul style="list-style-type: none"> •¹ on average fewer cigarettes were smoked per person after the course •² the number of cigarettes smoked per person was more varied after the course
	<i>Mean number of cigarettes smoked per person per day</i>	<i>Standard deviation</i>										
Before	20·8	8·5										
After	9·6	12·0										
<p>Notes:</p> <p>(i) do not accept 'the average number of cigarettes smoked per person was less'</p> <p>(ii) do not accept 'the standard deviation after the course was greater'</p>												


Question	Marking Scheme Give 1 mark for each •	Max Mark	Illustrations of evidence for awarding a mark at each •
4	Change the subject of the formula to r . $A = 4\pi r^2$ Ans: $r = \sqrt{\frac{A}{4\pi}}$ • ¹ starting process • ² finding the square root	2 (KU)	• ¹ $r^2 = \frac{A}{4\pi}$ • ² $r = \sqrt{\frac{A}{4\pi}}$
Notes: (i) $r = \frac{\sqrt{A}}{\sqrt{4\pi}}$ award 2/2 (ii) for $r = \frac{\sqrt{A}}{4\pi}$ or $\sqrt{\frac{A \div 4}{\pi}}$ or $\sqrt{A \div 4 \div \pi}$ award 1/2 (iii) the final mark is for taking the square root of the given r^2			

Question	Marking Scheme Give 1 mark for each •	Max Mark	Illustrations of evidence for awarding a mark at each •																	
5	<p>150 patients have been given a flu vaccine.</p> <p>The data is shown in the table below.</p> <table border="1"> <thead> <tr> <th rowspan="2">AGE</th> <th colspan="2">GENDER</th> </tr> <tr> <th>male</th> <th>female</th> </tr> </thead> <tbody> <tr> <td>5 or under</td> <td>4</td> <td>3</td> </tr> <tr> <td>6 – 15</td> <td>7</td> <td>8</td> </tr> <tr> <td>16 – 59</td> <td>37</td> <td>47</td> </tr> <tr> <td>60 or over</td> <td>12</td> <td>32</td> </tr> </tbody> </table> <p>What is the probability that a patient given the flu vaccine was male and aged 60 or over?</p> <p>Ans: $\frac{12}{150}$ or equivalent</p> <p>•¹ process</p>	AGE	GENDER		male	female	5 or under	4	3	6 – 15	7	8	16 – 59	37	47	60 or over	12	32	1	<p>•¹ $\frac{12}{150}$</p>
AGE	GENDER																			
	male	female																		
5 or under	4	3																		
6 – 15	7	8																		
16 – 59	37	47																		
60 or over	12	32																		
<p>Notes:</p> <p>(i) Do not accept answer in ratio form</p>																				
5	<p>a patient given the flu vaccine was aged 5 or under?</p> <p>Ans: $\frac{7}{150}$</p> <p>•¹ process</p>	1	<p>•¹ $\frac{7}{150}$</p>																	
<p>Notes:</p> <p>(i) an answer in ratio form in part (b) may be awarded the mark as a follow through error from (a)</p>																				

Question		Marking Scheme Give 1 mark for each •	Max Mark	Illustrations of evidence for awarding a mark at each •
6	a	<p>Joan buys gold and silver charms to make bracelets.</p> <p>2 gold charms and 5 silver charms cost £125.</p> <p>Let g pounds be the cost of one gold charm and s pounds be the cost of one silver charm.</p> <p>Write down an equation in terms of g and s to illustrate the above information.</p> <p>Ans: $2g + 5s = 125$</p> <p>•¹ process</p>	1 (KU)	• ¹ $2g + 5s = 125$
6	b	<p>4 gold charms and 3 silver charms cost £145.</p> <p>Write down another equation in terms of g and s to illustrate this information.</p> <p>Ans: $4g + 3s = 145$</p> <p>•¹ process</p>	1 (KU)	• ¹ $4g + 3s = 145$
6	c	<p>Hence calculate the cost of each type of charm.</p> <p>Ans: $g = 25; s = 15$</p> <p>•¹ starting process</p> <p>•² value of one variable</p> <p>•³ value of a second variable</p>	3 (RE)	<p>•¹ evidence of scaling</p> <p>•² $g = 25$</p> <p>•³ $s = 15$</p>
<p>Notes:</p> <p>(i) for $g = 25$ and $s = 15$ without working but checked in both equations award 1/3</p> <p>(ii) for $g = 25$ and $s = 15$ without working award 0/3</p>				

Question	Marking Scheme Give 1 mark for each •	Max Mark	Illustrations of evidence for awarding a mark at each •
8	<p>Four straight line graphs are shown below.</p> <div style="display: flex; justify-content: space-around;"> <div style="text-align: center;"> <p>A</p>  </div> <div style="text-align: center;"> <p>B</p>  </div> </div> <div style="display: flex; justify-content: space-around; margin-top: 20px;"> <div style="text-align: center;"> <p>C</p>  </div> <div style="text-align: center;"> <p>D</p>  </div> </div> <p>Which one of these above could represent the line with equation $2x + y = 3$?</p> <p>Give two reasons to justify your answer.</p> <p>Ans: graph D</p> <ul style="list-style-type: none"> •¹ re-arranging •² understanding •³ conclusion 	<p>3</p> <p>(RE)</p>	<ul style="list-style-type: none"> •¹ $y = -2x + 3$ •² m – negative c – positive •³ D
<p>Notes:</p> <p>(i) for an answer with no working award 0/3</p> <p>(ii) for candidates who do not re-arrange, the 1st mark can be awarded only if the correct gradient and intercept are stated</p>			

Question		Marking Scheme Give 1 mark for each •	Max Mark	Illustrations of evidence for awarding a mark at each •
9	a	<p>Quick-Smile photographers charge the following rates:</p> <ul style="list-style-type: none"> • 50p per photograph for the first 12 photographs printed • 35p per photograph for any further photographs printed • £4.25 for a CD of the photographs. <p>How much will it cost to have 16 photographs printed plus a CD?</p> <p>Ans: £11.65</p> <ul style="list-style-type: none"> •¹ starting the process •² calculation 	2 (KU)	<ul style="list-style-type: none"> •¹ either $(12 \times 0.5) \dots + 4.25$ or $(16 - 12) \times 0.35$ •² £11.65
<p>Notes:</p> <p>(i) for £11.65 with/without working award 2/2</p> <p>(ii) the 2nd mark may be awarded only for a correct calculation involving all 3 rates.</p>				
9	b	<p>Find a formula for C, the cost in pounds, of having x photographs printed (where x is greater than 12) plus a CD.</p> <p>Ans: $(c =) 6 + (x-12) 0.35 + 4.25$</p> <ul style="list-style-type: none"> •¹ starting strategy •² continuing strategy •³ formula 	3 (RE)	<ul style="list-style-type: none"> •¹ 12×0.5 •² $(x - 12) \times 0.35$ •³ $6 + (x - 12) 0.35 + 4.25$
<p>Notes:</p> <p>(i) ignore subsequent simplification</p> <p>(ii) candidates may work in pence, but final answer must be in pounds</p>				

Question	Marking Scheme Give 1 mark for each •	Max Mark	Illustrations of evidence for awarding a mark at each •
<p>10</p> <p>a</p>	<p>The parabola with equation $y = x^2 - 2x - 3$ cuts the x-axis at the points A and B as shown in the diagram.</p>  <p>Find the coordinates of A and B.</p> <p>Ans: A(-1,0), B(3,0)</p> <ul style="list-style-type: none"> •¹ equating to zero •² factorising •³ solving for x •⁴ co-ordinates 	<p>4</p> <p>(RE)</p>	<ul style="list-style-type: none"> •¹ $x^2 - 2x - 3 = 0$ •² $(x - 3)(x + 1) = 0$ •³ $x = -1$ or 3 •⁴ A(-1,0), B(3,0)
<p>Notes:</p> <p>(i) equating to zero must appear prior to solving for x</p> <p>(ii) for correct coordinates with no working award 0/4</p> <p>(iii) candidates may draw graph – check page 15 on answer booklet</p>			
<p>10</p> <p>b</p>	<p>Write down the equation of the axis of symmetry of $y = x^2 - 2x - 3$.</p> <p>Ans: $x = 1$</p> <ul style="list-style-type: none"> •¹ calculation 	<p>1</p> <p>(KU)</p>	<ul style="list-style-type: none"> •¹ $x = 1$
<p>Notes:</p> <p>(i) an answer of 1 is not sufficient to gain the mark</p>			

Question		Marking Scheme Give 1 mark for each •	Max Mark	Illustrations of evidence for awarding a mark at each •
11	a	<p>Jenny is doing calculations using consecutive numbers.</p> <p>She notices a pattern which always gives an answer of 1.</p> <p>Using 2, 3, 4 gives $3^2 - 2 \times 4 = 1$. 3, 4, 5 gives $4^2 - 3 \times 5 = 1$. 4, 5, 6 gives $5^2 - 4 \times 6 = 1$.</p> <p>Using 8, 9, 10, write down a similar pattern.</p> <p>Ans: $9^2 - 8 \times 10 = 1$</p> <p>•¹ statement</p>	1 (KU)	<p>•¹ $9^2 - 8 \times 10 = 1$</p>
<p>Notes:</p> <p>(i) do not accept $9^2 - 8 \times 10$</p>				
11	b	<p>Using n, $(n + 1)$, $(n + 2)$, show that the answer is 1 for any three consecutive numbers.</p> <p>Ans: proof</p> <p>•¹ beginning proof •² simplification •³ proof</p>	3 (RE)	<p>•¹ $(n + 1)^2 - n(n + 2)$ •² $n^2 + 2n + 1 - n^2 - 2n$ •³ 1</p>
<p>Notes:</p> <p>(i) for the 2nd mark, brackets must be explicitly expanded</p> <p>(ii) the 3rd mark can be awarded only if the 2nd mark has been awarded</p>				

KU 20
RE 18

[END OF PAPER 1 MARKING INSTRUCTIONS]

Paper 2

Award marks in whole numbers only

Question	Marking Scheme Give 1 mark for each •	Max Mark	Illustrations of evidence for awarding a mark at each •
1	<p>A snail crawls 3 kilometres in 16 days.</p> <p>What is the average speed of the snail in metres per second?</p> <p>Give your answer in scientific notation correct to 2 significant figures.</p> <p>Ans: 2.2×10^{-3}</p> <p>•¹ evidence of correct formula with units</p> <p>•² correct conversion of units</p> <p>•³ unrounded solution</p> <p>•⁴ correct rounding and scientific notation</p>	<p>4</p> <p>(KU)</p>	<p>•¹ $\frac{3km}{16days}$</p> <p>•² $\frac{3000}{16 \times 24 \times 60 \times 60}$</p> <p>•³ 0.00217</p> <p>•⁴ 2.2×10^{-3}</p>
<p>Notes:</p> <p>(i) for 2.2×10^{-3} with/without working award 4/4</p> <p>(ii) for $2.17 \dots \times 10^{-3}$, with or without working award 3/4</p> <p>(iii) for $\frac{3}{16}$, leading to 1.9×10^{-1} award 1/4</p> <p>(iv) for $\frac{3}{16}$, followed by $\frac{3000}{16 \times 24 \times 60 \times 60}$ award the first two marks</p> <p>(v) for $\frac{3}{16}$, followed by a correct partial conversion award the first mark</p>			

Question	Marking Scheme Give 1 mark for each •	Max Mark	Illustrations of evidence for awarding a mark at each •
2	Solve the equation $2x^2 + 7x - 3 = 0$ Give your answers correct to 1 decimal place . Ans: 0·4 or -3·9 • ¹ correct substitution into quadratic formula • ² correct discriminant • ³ unrounded solution • ⁴ rounded solution	4 (KU)	• ¹ $\frac{-7 \pm \sqrt{7^2 - 4 \times 2 \times -3}}{4}$ • ² 73 • ³ 0·385, -3·885 • ⁴ 0·4, -3·9

Notes:

alternative evidence for 3rd and 4th marks


3rd mark (one solution and rounded) 0·385 → 0·4


4th mark (another solution and rounded) - 3·885 → 3·9

(i) only the first mark is available for candidates who process to a negative discriminant


(ii) candidates who do not give an unrounded number cannot be awarded the last 2 marks, **unless** the final answer is 0·4, -3·9 where 3/4 may be awarded


Question	Marking Scheme Give 1 mark for each •	Max Mark	Illustrations of evidence for awarding a mark at each •
4	<p>Last year, 1296 learner drivers from “Topflight” school of motoring passed their driving test.</p> <p>This was 72% of those who sat their driving test from Topflight.</p> <p>How many failed their driving test?</p> <p>Ans: 504</p> <ul style="list-style-type: none"> •¹ valid strategy •² processing •³ solution 	<p>3</p> <p>(RE)</p>	<ul style="list-style-type: none"> •¹ 72% = 1296 •² $1\% = \frac{1296}{72} = 18$ •³ $18 \times 28 = 504$
<p>Notes:</p> <p>(i) for 504, with/without working award 3/3</p> <p>(ii) for candidates who calculate either 28% or 72% of 1296 award 0/3</p> <p>(iii) the final mark is for multiplying 1% by 28</p>			

Question	Marking Scheme Give 1 mark for each •	Max Mark	Illustrations of evidence for awarding a mark at each •
5	<p>ABC is an isosceles triangle with angle $ACB = 30^\circ$.</p> <p>$AC = BC = x$ centimetres.</p> <div style="text-align: center;">  </div> <p>The area of triangle ABC is 9 square centimetres. Calculate the value of x.</p> <p>Ans: $x = 6$</p> <ul style="list-style-type: none"> •¹ correct substitution into area formula •² processing •³ solution 	<p>3</p> <p>(RE)</p>	<ul style="list-style-type: none"> •¹ $9 = \frac{1}{2} \times x^2 \times \sin 30^\circ$ •² 36 •³ $x = 6$
<p>Notes:</p> <p>(i) accept $9 = \frac{1}{2} ab \sin 30^\circ$ for first mark</p>			


Question	Marking Scheme Give 1 mark for each •	Max Mark	Illustrations of evidence for awarding a mark at each •
6	<p>A mobile phone mast, 18.2 metres high, stands vertically in the centre of a circle.</p> <p>It is supported by a wire rope, 19 metres long, attached to the ground at a point on the circumference of the circle, as shown.</p>  <p>Calculate the circumference of the circle.</p> <p>Ans: 34.3 m</p> <ul style="list-style-type: none"> •¹ correct use of Pythagoras •² calculating radius •³ calculating circumference 	<p>3</p> <p>(KU)</p>	<ul style="list-style-type: none"> •¹ $r^2 = 19^2 - 18.2^2$ •² 5.455 •³ 34.3


Question		Marking Scheme Give 1 mark for each •	Max Mark	Illustrations of evidence for awarding a mark at each •
7		<p>Jack weighs 94 kilograms.</p> <p>On the 1st of January, he starts a diet which is designed to reduce his weight by 7% per month.</p> <p>During which month should he achieve his target weight of 73 kilograms?</p> <p>Show all your working.</p> <p>Ans: during April</p> <ul style="list-style-type: none"> •¹ reduction factor •² processing •³ continuation •⁴ communication 	4 (RE)	<ul style="list-style-type: none"> •¹ 0.93 •² $0.93 \times 94 = 87.42$ •³ ... 75.6 •⁴ During April or 4th month
<p>Notes:</p> <p>(i) for use of a “simple interest” method only the first two marks are available</p>				




Question	Marking Scheme Give 1 mark for each •	Max Mark	Illustrations of evidence for awarding a mark at each •
8	<p>As the pendulum of a clock swings, its tip moves through an arc of a circle.</p>  <p>The length of the pendulum is 50 centimetres. The length of the arc is 36.7 centimetres. Calculate x°, the angle through which the pendulum swings.</p> <p>Ans: 42°</p> <ul style="list-style-type: none"> •¹ strategy •² strategy •³ solution 	<p>3</p> <p>(RE)</p>	<ul style="list-style-type: none"> •¹ $\frac{x}{360}$ •² $\frac{36.7}{100\pi}$ •³ 42°
<p>Notes:</p> <p>(i) for use of $C = \pi r^2$, the 1st and 3rd marks are still available</p>			

Question	Marking Scheme Give 1 mark for each •	Max Mark	Illustrations of evidence for awarding a mark at each •
9	<p>In triangle THB:</p> <ul style="list-style-type: none"> • angle TBH = 90° • angle THB = 32° <p>G is a point on HB.</p> <ul style="list-style-type: none"> • angle TGB = 57° • GH = 46 metres.  <p>Calculate the length of TB.</p> <p>Ans: 48.4 m</p> <ul style="list-style-type: none"> •¹ correct use of sine rule in triangle THG •² calculation •³ appropriate trig ratio •⁴ solution 	4 (KU)	<ul style="list-style-type: none"> •¹ $\frac{TG}{\sin 32^\circ} = \frac{46}{\sin 25^\circ}$ •² $TG = 57.679\dots$ •³ $\sin 57^\circ = \frac{TB}{57.679\dots}$ •⁴ $TB = 48.37\dots$
<p>Notes:</p> <p>(i) do not penalise early rounding</p> <p>(ii) the 2nd and 4th marks are available only within a valid strategy</p>			


Question		Marking Scheme Give 1 mark for each •	Max Mark	Illustrations of evidence for awarding a mark at each •
10	a	<p>A function is given by the formula, $f(x) = 4 \times 2^x$.</p> <p>Evaluate $f(3)$.</p> <p>Ans: 32</p> <p>•¹ substitution</p> <p>•² calculation</p>	<p>2</p> <p>(KU)</p>	<p>•¹ 4×2^3</p> <p>•² 32</p>
10	b	<p>Given that $f(m) = 4$, find the value of m.</p> <p>Ans: $m = 0$</p> <p>•¹ substitution</p> <p>•² solution</p>	<p>2</p> <p>(RE)</p>	<p>•¹ $4 = 4 \times 2^m$</p> <p>•² $m = 0$</p>

Question	Marking Scheme Give 1 mark for each •	Max Mark	Illustrations of evidence for awarding a mark at each •
11	<p>Water flows through a horizontal pipe of diameter 60 centimetres.</p> <p>The surface width, AB, of the water is 55 centimetres.</p>  <p>Calculate the depth, d, of the water in the pipe.</p> <p>Ans: 18.01 cm</p> <ul style="list-style-type: none"> •¹ recognition of right angle •² processing •³ processing •⁴ solution 	<p style="text-align: center;">4</p> <p style="text-align: center;">(KU)</p>	<ul style="list-style-type: none"> •¹ use of Pythagoras •² $30^2 - 27.5^2$ •³ 11.99 •⁴ 18.01
Notes:			
(i) for one mark, the right angle may be stated or indicated on a diagram			
11	<p>b</p> <p>What other depth of water would give the same surface width?</p> <p>Ans: 41.99 cm</p> <ul style="list-style-type: none"> •¹ communication 	<p style="text-align: center;">1</p> <p style="text-align: center;">(RE)</p>	<ul style="list-style-type: none"> •¹ 41.99

Question	Marking Scheme Give 1 mark for each •	Max Mark	Illustrations of evidence for awarding a mark at each •
12	<p>Part of the graph of $y = 1 + \sin x^\circ$ is shown in the diagram below.</p>  <p>The line $y = 1.7$ is drawn. It cuts the graph of $y = 1 + \sin x^\circ$ at A and B as shown.</p> <p>Calculate the x-coordinates of A and B.</p> <p>Ans: 44.4°, 135.6°</p> <ul style="list-style-type: none"> •¹ equating functions •² processing •³ first solution •⁴ second solution 	<p>4</p> <p>(RE)</p>	<ul style="list-style-type: none"> •¹ $1 + \sin x^\circ = 1.7$ •² $\sin x^\circ = 0.7$ •³ 44.4° •⁴ 135.6°
<p>Notes:</p> <p>(i) candidates who obtain a negative value of $\sin x$ may still be awarded the last two marks for angles in the 3rd and 4th quadrants</p> <p>(ii) candidates who give more than two answers cannot be awarded the last mark</p> <p>(iii) caution $44.4^\circ + 90^\circ = 134.4^\circ$ this is close to the correct answer</p>			

Question	Marking Scheme Give 1 mark for each •	Max Mark	Illustrations of evidence for awarding a mark at each •
13	<p>Asim has a poster which is 25 centimetres wide and 40 centimetres high.</p>  <p>He decides to place it on a white card. The card and the poster are mathematically similar.</p>  <p>The border is 5 centimetres wide on three sides and x centimetres wide on the fourth side as shown.</p>  <p>Calculate the value of x.</p>		

Question		Marking Scheme Give 1 mark for each •	Max Mark	Illustrations of evidence for awarding a mark at each •
13		<p>Ans: $x = 11$</p> <p><u>Method 1</u></p> <ul style="list-style-type: none"> •¹ strategy •² applying scale factor •³ processing •⁴ solution 	4	<ul style="list-style-type: none"> •¹ scale factor = $\frac{35}{25}$ •² $\left(\frac{7}{5}\right) \times 40$ •³ 56 •⁴ 11
		<p>Ans: $x = 11$</p> <p><u>Method 2</u></p> <ul style="list-style-type: none"> •¹ strategy •² equating ratios •³ cross multiplication •⁴ solution 	(RE)	<ul style="list-style-type: none"> •¹ $\frac{25}{40}$ or $\frac{35}{45+x}$ •² $\frac{25}{40} = \frac{35}{45+x}$ •³ $25(45+x) = 35 \times 40$ •⁴ 11

Question	Marking Scheme Give 1 mark for each •	Max Mark	Illustrations of evidence for awarding a mark at each •
14	<p>In triangle ABC:</p> <ul style="list-style-type: none"> • $\cos A = 0.5$ • $AB = 6$ centimetres • $BC = 2x$ centimetres • $AC = x$ centimetres  <p>Show that $x^2 + 2x - 12 = 0$</p> <p>Ans: $x^2 + 2x - 12 = 0$</p> <ul style="list-style-type: none"> •¹ substitution into cosine rule •² processing •³ completion of proof 	<p>3</p> <p>(RE)</p>	<ul style="list-style-type: none"> •¹ $(2x)^2 = x^2 + 6^2 - 2 \times x \times 6 \times 0.5$ •² $4x^2 = x^2 - 6x + 36$ •³ $x^2 + 2x - 12 = 0$
<p>Notes:</p> <p>(i) $2x^2$ is to be treated as bad form for the 1st mark</p> <p>(ii) the final mark is given only for an explicit statement</p>			

KU 25
RE 27

<p>OVERALL TOTAL MARKS 45 KU 45 RE</p>
--

[END OF PAPER 2 MARKING INSTRUCTIONS]